# Native Prairie Plants of Southern Alberta Available for Droughtproof Gardening

Plants included in this list are native to the prairies of southern Alberta. They grow well in dry soil and full sun. Cultivated varieties of the species listed are available from garden retail outlets and are being used in gardens in southern Alberta. As indicated in the "Notes", some species on this list have a tendency to spread which may be desirable for large gradens only.



## **Flowers**

riowers		Bloom		Height	
Scientific Name	Common Name	Time	Flower Colour	(cm)	Notes
Allium cernuum	Nodding Onion	May - Aug	white, pinkish	10-50	perennial, bulb, strong odour
Anemone patens	Prairie Crocus, Pasque	April - June	lavender, whitish	20-40	perennial, soft hairy, flowers appear before
(Pulsatilla patens)	Flower				the leaves
Aster laevis	Smooth Aster	July -	bluish purple	40-100	perennial, believed to absorb selenium
(Symphyotrichum		September			
laeve var. laeve)					
Campanula	Harebell, Bluebell	June -	purplish blue	20-40	perennial, flowers point out or down to
rotundifolia		September			protect nectar and pollen from rain,
					may spread by roots
Cleome serrulata	Bee Plant, Clammyweed	June -	pink, purple,	30-60	annual, grows on sandy soil, nectar has
		September	white		strong smell, attractive to bees
Coryphantha	Cushion Cactus, Ball Cactus		deep pink,	<10	perennial, grows in sandy or rocky soil, round
vivipara (Mamillaria		August	purplish red		stems covered with white spines, large flowers,
vivipara)					edible grape-like fruit
Erigeron	Cut-leaved Daisy,	May - July	white, pink, blue,	5-15	perennial, grows on rocky soil, compact cushion growth
compositus	Compound-leaved Fleabane		yellow centre		form, finely dissected leaves
Gaillardia aristata	Gaillardia, Brown-Eyed	July -	yellow petals,	30-60	perennial, grey-green hairs on leaves help it withstand
	Susan, Blanket Flower	August	reddish centres		drying winds, may spread by seed
Galium boreale	Northern Bedstraw	June -	white, cream	30-60	perennial, fragrant, used by early settlers to stuff
0 1 10	T	August		22 12	mattresses, may spread by roots
Geum triflorum	Three-flowered Avens, Old	May - July	reddish purple	20-40	perennial, each plant has three drooping flowers, woolly
	Man's Whiskers, Prairie				seedheads
L La Para Maria	Smoke	la de		00.400	
Helianthus annuus	Common Annual Sunflower	July -	yellow with	60-120	annual, grows in poor soil, stems stout with stiff hairs, may
	51 11 1 0 5	September	brownish centre	10.100	spread by seed
Helianthus	Rhombic-leaved Sunflower	July -	yellow with	40-120	perennial, grows in poor soil, seeds eaten by birds, may
subrhomboideus		September	brownish centre		spread by roots
Linum lewisii	Wild Blue Flax	May-	purplish blue	20-70	perennial, delicate stems, each flower lasts one day
		August			
Liatris punctata	Dotted Blazingstar, Dotted	July -	pink, purple	20-60	perennial, grows in sandy soil, tufted, glandular dots on
	Gayfeather	September		=0.00	leaves
Lupinus argenteus	Silvery Perennial Lupine,	June -	bluish purple	50-80	perennial, adds nitrogen to the soil, long flower stalk,
	Silky Lupine	September			poisonous if eaten in large quanitities
Monarda fistulosa	Wild Bergamont, Bee Balm,	June-	rose, lilac	30-70	perennial, minty smell, can get powdery mildew, may spread
	Horsemint	September			by roots

		Bloom		Height	
Scientific Name	Common Name	Time	Flower Colour	(cm)	Notes
Oenothera	Butte Primrose, Gumbo	June-	white, ages to	<30	perrenial, grows on clay soil, flowers open at night, fragrant,
caespitosa	Evening-Primrose	August	pink		attractive to moths
Opuntia polycantha	Prickly Pear Cactus	June - July	yellow	<20	perennial, grows on sandy or rocky soil, flattened circular stems with tufts of white spines, large flowers attract bees, spreads to form mats
Penstemon albidus	White Beardtongue	May - July	white	15-30	perennial, funnel-shaped flowers in whorls around stem
Penstemon nitidus	Smooth Blue Beardtongue	May - June	blue at tip, purplish at base	20-30	perennial, thick grayish leaves, tube-shaped flowers in thick clusters
Petalostemon purpureum (Dalea purpurea)	Purple Prairie-Clover	June - August	purple, rose	30-60	perennial, grows on sandy soil, very adaptable, deep tap root, adds nitrogen to the soil
Phlox hoodii	Moss phlox, Hood's phlox	April - June	white	<10	perennial, grows on poor soil, forms mats, hard to find at nurseries
Ratibida columnifera	Prairie Coneflower, Long- headed Coneflower	July - September	yellow (purplish) with gray or purple cone	30-50	perennial, divided leaves, cone-shaped flowers, may spread by seed
Sisyrinchium montanum	Blue-eyed grass	June - July	blue, purple, with yellow centre	10-40	perennial, grows in moister sites, grass-like appearance, flattened stems, each flower lasts only one day
Solidago rigida (Oligoneuron rigidum)	Stiff Goldenrod	July - September	golden yellow	10-40	perennial, attractive hairy leaves, not an allegry problem as there is no wind borne pollen, does not spread
Yucca glauca	Soapweed, Yucca, Spanish Bayonet	June - July	cream, greenish white	50-100	perennial, stiff evergreen leaves, large clusters of bell- shaped flowers, pollinated by moths, fruit a large capsule

#### For more information:

Native Plants for Prairie Gardens (June Flanagan, Fifth House Ltd., 2005),

Creating the Prairie Xeriscape (Sara Williams, University Extension Press, 1997),

NatureScape Alberta: Creating and caring for wildlife habitat at home (Myrna Pearman & Ted Pike, Federation of Alberta Naturalists, 2000),

 $Grounds \ for \ Change \ - \ www.calgaryzoo.org/schoolyard\_naturalization/index.html$ 

Wildflowers of Alberta (Kathleen Wilkinson, University of Alberta Press and Lone Pine Publishing, 1999)

Native Plant Seed Source List (Alberta Native Plant Council, 2003) visit www.anpc.ab.ca

Guidelines for the Collection and Use of Native Plants (Alberta Native Plant Council, 2002) visit www.anpc.ab.ca

Oldman Watershed Council www.oldmanbasin.org

Special Thanks to: June Flanagan Helen Schuler Nature Centre Calgary Zoo - Grounds for Change







# Grasses

Plants included in this list are native to the prairies of southern Alberta and available from garden retail outlets.

	Flowering		Stem Height	
Common Name	Time	Description of Flower Heads	(cm)	Notes // // // // // // // // // // // // //
Indian Ricegrass	May-July	whitish flowers in open,	30-70	perennial,
		branching, 8-16 cm long panicle		tufted,
				grows in
				sandy soil
Northern Wheat	June - July	hairy green flowers in narrow,	40-120	perennial, light green to blue green leaves,
Grass		5-20 cm long spike		may spread by long, creeping rhizomes
Western Wheat	June -	bluish green flowers in narrow,	30-60	perennial, grows in saline soil, bluish leaves,
Grass	August	5-20 cm long spike		may spread by long, creeping rhizomes
Blue Grama	July -	bluish-purple flowers on one side	10-40	perennial, tufted, forms sod as spreads by
Grass	August	of comb-like spikes,		short rhizomes
		1 to 3 spikes per stem		
Plains Rough	June - July	• • •	30-90	perennial, forms large tufts, spreads by short
Fescue		15 cm long panicle		rhizomes, slow to establish, stems purplish at
				base
Idaho Fescue or	June - July		30-80	perennial, densely tufted, narrow blue-green
Bluebunch		cm long panicle		leaves
Fescue				
Sweet Grass	May-August		30-60	perennial, spreads by creeping rhizomes,
		pyramidal, 4-10 cm long panicle		aromatic
Junegrass	June -	pale green to purplish flowers in	20-50	perennial, forms small tufts, poor seed
	August	dense panicle		germination
Green Needle	June-	awned, greenish flowers in	40-90	perennial, tufted
Grass	August	narrow, 10-25 cm long panicle		
	Northern Wheat Grass Western Wheat Grass Blue Grama Grass Plains Rough Fescue Idaho Fescue or Bluebunch Fescue Sweet Grass Junegrass Green Needle	Indian Ricegrass May-July  Northern Wheat Grass Western Wheat Grass June - August Blue Grama July - August Plains Rough Fescue Idaho Fescue or Bluebunch Fescue Sweet Grass May-August Junegrass June - August Green Needle June-	Common NameTimeDescription of Flower HeadsIndian RicegrassMay-Julywhitish flowers in open, branching, 8-16 cm long panicleNorthern Wheat GrassJune - July Grasshairy green flowers in narrow, 5-20 cm long spikeWestern Wheat GrassJune - Augustbluish green flowers in narrow, 5-20 cm long spikeBlue Grama GrassJuly - Augustbluish-purple flowers on one side of comb-like spikes, 1 to 3 spikes per stemPlains Rough FescueJune - July Shiny, purplish flowers in open, 6-15 cm long panicleIdaho Fescue or Bluebunch FescueJune - July Cm long panicleSweet GrassMay-August Dronze to purplish flowers in pyramidal, 4-10 cm long panicleJune - August Green NeedleJune - August Dale green to purplish flowers in dense panicleGreen NeedleJune- August Dale Green Stewners in dense panicle	Common NameTimeDescription of Flower Heads(cm)Indian RicegrassMay-Julywhitish flowers in open, branching, 8-16 cm long panicle30-70Northern Wheat GrassJune - July Grasshairy green flowers in narrow, 5-20 cm long spike40-120Western Wheat GrassJune - Augustbluish green flowers in narrow, 5-20 cm long spike30-60Blue Grama GrassJuly - Augustbluish-purple flowers on one side of comb-like spikes, 1 to 3 spikes per stem10-40Plains Rough FescueJune - July Shiny, purplish flowers in open, 6-15 cm long panicle30-90Idaho Fescue or Bluebunch FescueJune - July Durplish flowers in narrow, 5-20 cm long panicle30-80Sweet GrassMay-August Dronze to purplish flowers in pyramidal, 4-10 cm long panicle30-60JunegrassJune - August Dale green to purplish flowers in dense panicle20-50Green NeedleJune- awned, greenish flowers in dense panicle40-90

For more information:

Common Plants of the Western Rangelands (Kathy Tannas, Lethbridge Community College)

Special Thanks to: June Flanagan Helen Schuler Nature Centre Calgary Zoo - Grounds for Change



## **Shrubs**

Plants included in this list are native to the prairies of southern Alberta and available from garden retail outlets. They grow well in dry soil and full sun.



		Bloom	Mature	Mature	
Scientific Name	Common Name	Time	Height (cm)	Width (cm)	Notes
Amelanchier alnifolia	Saskatoon or	May-June	200-500	100-200	white flowers, blue fruit, edible, may spread
	Serviceberry				by root suckers
Cornus stolonifera or	Red-oiser	May-July	200	300	white flowers and fruit, shade tolerant,
Cornus sericea	dogwood				young stems red, leaves turn red in fall
Elaeagnus commutata	Wolf-willow,	May-June	200-300	200	flowers yellow and fragrant, leaves
	Silverberry				silvery, branches with rusty scales, may
					spread by roots
Potentilla fruticosa	Shrubby	June-	70-100	90	bright yellow flowers, red-brown shredding
	Cinquefoil	August			bark, five-parted leaves
Prunus virginiana	Chokecherry	May-June	500	300	white flowers, black cherries with pit,
					edible
Ribes aureum	Golden Currant	May-June	100-200	150-250	yellow flowers, black or yellow berry, edible, shade-tolerant
Rosa acicularis	Prickly Rose	June-	50-150	100	pink flowers, fruit a bright red "hip", stems densely prickly,
		August			may spread by roots
Rosa arkansana	Prairie Rose	July-	20-40	20-40	white to pink flowers, fruit a bright red "hip", stems with few
		August			prickles, may spread by roots
Rosa woodsii	Common Wild	June-July	50-150	100	pink flowers, fruit a bright red "hip", stems with few to many
	Rose				prickles, may spread by roots
Shepherdia argentea	Thorny	April-May	300-400	300-400	small yellow flowers, deep red berry, edible, thorns on
	buffaloberry				branches, will grow in poor soil

# For more information:

Trees and Shrubs of Alberta (Kathleen Wilkinson, Lone Pine Publishing, 1990)

Special Thanks to: June Flanagan Helen Schuler Nature Centre Calgary Zoo - Grounds for Change



